

**MARSTELLER & ASSOCIATES**

A Professional Corporation  
Attorneys and Counselors  
Post Office Box 803302  
Dallas, Texas 75380-3302  
(972) 233-0939  
Fax: (972) 386-3907

**RECEIVED  
CENTRAL FAX CENTER**

**SEP 09 2004**

Thomas F. Marsteller, Esq.  
Email: TMarsteller@MarstellerLaw.com

*Patents, Trademarks  
& Copyrights*

September 9, 2004

**FACSIMILE TRANSMITTAL SHEET**

TO:

Harry D. Wilkins III

(703) 872-9306

FROM:

T.F. MARSTELLER

000093-210

Client / Matter Number

RE: Amendment B

**In re Application of:** Scott R. Sehlin

**Serial No.:** 10/065,939

**Confirmation No.:** 7431

**Filed:** December 2, 2002

**For:** STEPPED VOLTAGE CONTROLLER FOR CERAMIC OXYGEN  
GENERATING SYSTEMS

NUMBER OF COPIES, INCLUDING THIS TRANSMITTAL SHEET:

Legal:           

Letter: 12

**SEE COMMENTS BELOW**

SHOULD YOU HAVE ANY PROBLEM RECEIVING OUR TRANSMISSION, PLEASE  
CALL 972-233-0939.

TIME SENT: 3:33 PM

**\*\*COMMENT\*\*:**

NO CONFIRMATION.

/000093-210/FAX I710 090904.DOC

**BEST AVAILABLE COPY**



**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**